勢流科技 FLOTREND SINCE 1997

Software Partner Service PLATINUM

SIEMENS



FLOEFD 在不同CAD上交換FLOEFD 專案設定

Johnny

johnny@flotrend.com.tw

(02)27266269-129

CAE Engineer

北市信義區忠孝東路五段550號13樓


Flotrend Corporation. Proprietary and Confidential. All rights reserved.

如何在不同CAD上交換FLOEFD 專案設定

- **Challenge:當不同客戶所使用的 FLOEFD 是嵌入在不同的 CAD 軟體（如：NX、Creo、SolidWorks）時，會因CAD軟體不同，導致雙方在交換 FLOEFD 專案時較為不便。**

- **Solution:FLOEFD 可透過建立 Template 將 “A” CAD 軟體中的模擬設定儲存，切換至 “B” CAD 軟體時匯入中繼檔後套用 Template ，即可快速載入設定。需特別注意由於CAD軟體不同，因此需重新選取其設定對應物件。此方式可提升跨 CAD 軟體轉移效率，並保留設定。**

	Component Package	PCB
Conductivity (W/m.K)	K = 0.4	K (Plane) = 10 K (Axial) = 0.5
Density (kg/m^3)	2200	1120
Specific Heat (J/kg.K)	120	1400



測試模型

Flotrend Corporation. Proprietary and Confidential. All rights reserved.


欲知詳情，請加入勢流會員
即可每月收到會員電子報

會員電子報請至客戶專區→會員專屬月刊 觀看完整內容

Flotrend Corporation. Proprietary and Confidential. All rights reserved.

Thanks

謝 謝



Johnny
johnny@flotrend.com.tw
(02)27266269-129
CAE Engineer
北市信義區忠孝東路五段550號13樓

Flotrend Corporation. Proprietary and Confidential. All rights reserved.